



1.1. Open the Command Prompt


1.1.1. Press the windows key on keyboard or click the Start icon.



1.1.2. input cmd and the Command Prompt program will show on the screen




1.1.3. Right click on the Command Prompt and Click the Run as administrator.




1.2. Login to MySQL and run update statement.

1.2.1. Input "cd C:\Program Files\MySQL\MySQL Server 5.5\bin" (the MySQL bin default installed location) and press Enter to change the path to C:\Program Files\MySQL\MySQL Server 5.5\bin folder




1.2.2. Input "mysql -uroot -pdoc50tracker" and press enter to start login MySQL.
root is the login user id and **doc50tracker** is login password .



```
Administrator: Command Prompt
Microsoft Windows [Version 6.2.9200]
(c) 2012 Microsoft Corporation. All rights reserved.

C:\Users\Administrator>cd C:\Program Files\MySQL\MySQL Server 5.5\bin
C:\Program Files\MySQL\MySQL Server 5.5\bin>mysql -uroot -pdoc50tracker_
```

1.2.3. Input “show databases;” and press Enter then can confirm the database name is “doctracker3”



```
Administrator: Command Prompt - mysql -uroot -pdoc50tracker
Welcome to the MySQL monitor.  Commands end with ; or \g.
Your MySQL connection id is 57
Server version: 5.5.44 MySQL Community Server (GPL)

Copyright (c) 2000, 2015, Oracle and/or its affiliates. All rights reserved.

Oracle is a registered trademark of Oracle Corporation and/or its
affiliates. Other names may be trademarks of their respective
owners.

Type 'help;' or '\h' for help. Type '\c' to clear the current input statement.

mysql> show databases;
+-----+
| Database                |
+-----+
| information_schema       |
| doctracker3              |
| mysql                    |
| performance_schema       |
| test                     |
+-----+
5 rows in set (0.00 sec)

mysql> 
```

1.2.4. Input “use doctracker3;” and press enter to change the database for update.

```
Administrator: Command Prompt - mysql -uroot -pdoc50tracker
Welcome to the MySQL monitor.  Commands end with ; or \g.
Your MySQL connection id is 57
Server version: 5.5.44 MySQL Community Server (GPL)

Copyright (c) 2000, 2015, Oracle and/or its affiliates. All rights reserved.

Oracle is a registered trademark of Oracle Corporation and/or its
affiliates. Other names may be trademarks of their respective
owners.

Type 'help;' or '\h' for help. Type '\c' to clear the current input statement.

mysql> show databases;
+-----+
| Database |
+-----+
| information_schema |
| doctracker3 |
| mysql |
| performance_schema |
| test |
+-----+
5 rows in set (0.00 sec)

mysql> use doctracker3;_
```

1.2.5. Input "update udms_user set

**PWD='h32sbv3hpy0BqrynYIWCZg==', STATUS='A',
ATMP=0 where user_id='admin';"**

```
Administrator: Command Prompt - mysql -udoctracker -prico0081X doctracker3
Microsoft Windows [Version 6.2.9200]
(c) 2012 Microsoft Corporation. All rights reserved.

C:\Users\Administrator>cd C:\Program Files\MySQL\MySQL Server 5.5\bin
C:\Program Files\MySQL\MySQL Server 5.5\bin>mysql -udoctracker -prico0081X doct
racker3
Welcome to the MySQL monitor.  Commands end with ; or \g.
Your MySQL connection id is 31
Server version: 5.5.44 MySQL Community Server (GPL)


Copyright (c) 2000, 2015, Oracle and/or its affiliates. All rights reserved.

Oracle is a registered trademark of Oracle Corporation and/or its
affiliates. Other names may be trademarks of their respective
owners.

Type 'help;' or '\h' for help. Type '\c' to clear the current input statement.

mysql> update udms_user set PWD='h32sbv3hpy0BqrynYIWCZg==', STATUS='A', ATMP=0 w
here user_id='admin';_
```

1.2.6. Should show 1 row affected of the update result.



```
Administrator: Command Prompt - mysql -udoctracker -pricoh0081X doctracker3
Microsoft Windows [Version 6.2.9200]
(c) 2012 Microsoft Corporation. All rights reserved.

C:\Users\Administrator>cd C:\Program Files\MySQL\MySQL Server 5.5\bin
C:\Program Files\MySQL\MySQL Server 5.5\bin>mysql -udoctracker -pricoh0081X doctracker3
Welcome to the MySQL monitor.  Commands end with ; or \g.
Your MySQL connection id is 31
Server version: 5.5.44 MySQL Community Server (GPL)

Copyright (c) 2000, 2015, Oracle and/or its affiliates. All rights reserved.

Oracle is a registered trademark of Oracle Corporation and/or its
affiliates. Other names may be trademarks of their respective
owners.

Type 'help;' or '\h' for help. Type '\c' to clear the current input statement.

mysql> update udms_user set PWD='h32sbv3hpy0BqrynYIWCZg==', STATUS='A', ATMP=0 where user_id='admin';
Query OK, 1 row affected (0.03 sec)
Rows matched: 1  Changed: 1  Warnings: 0

mysql>
```

1.2.7. The admin password was changed to 12345.